



Jimmie Hinze

University of Florida

Study of the Role of Owners in Influencing Construction Safety

Four Broad Areas Identified

- Project Variables
- Contractor Selection
- Contract Requirements on Safety
- Owner Involvement During Construction

Project/Contractor Safety Performance

Project Type

Project/Contractor Safety Performance

Project Type

Project/Contractor Safety Performance


Project Type

Project/Contractor Safety Performance

Project Type

Project/Project Type

Project Type



Project/Contractor Safety Performance

Project Type

Project/Contractor Safety Performance

Project Type

Project/Contractor Safety Performance


Project/Contractor Safety Performance

Project Type

Project/Contractor Safety Performance

Project Type

Project Ty



Project/Contractor Safety Performance

Project Type

Project/Contractor Safety Performance

Project Type

Project/Contractor Safety Performance


Project/Contractor Safety Performance

Project Type

Project/Contractor Safety Performance

Project Type

Project Ty



Number of Shifts

Project/Contractor Safety Performance

Project Type

Project/Contractor Safety Performance

Project Type

Project/Contractor Safety Performance


Project/Contractor Safety Performance

Project Type

Project/Contractor Safety Performance


Project Type

Project Ty



Selection of Safe Contractors






Maximum Value of TRIR that is Acceptable to the Owner

Selection of Safe Contractors






Personnel qualifications are reviewed when evaluating contractors safety

Contractual Safety Requirements






Contract requires at least one full time safety professional on site

Owner's Safety Involvement During Project



Elements that nust be Included n the Contractor's Safety Program




Emergency plan (medical and hazardous materials)

Daily JSA (job safety analysis) conducted on the project site


Substance abuse program

Owner's Safety Involvement During Project Execution




Owner keeps injury statistics separately on each contractor

Owner's Safety Involvement During Project Execution




Owner provides extra funds (outside of the contract) to promote project safety

Owner's Safety Involvement During Project Execution




Owner participates in the safety recognition program

Owner's Safety Involvement During Project Execution




Who Participates in Conducting Orientation Training

Owner's Safety Involvement During Project Execution



Owner requires testing after safety orientation

Owner's Safety Involvement During Project Execution



Score Card for Owner Safety

Score Card for Owner Safety

Owner's Influence on Construction Safety Score Card


| Requirements and Owner Involvement in Project Safety | Answer | |
|---|----------|--------------|
| Project context: | | |
| (1) Does the project work one shift? | σУ | |
| (2) Does the project work five days a week or less? | σУ | |
| Selection of contractor | | |
| (3) Is the TRIR requirement for the contractor selection less than 2.0? | σУ | |
| (4) Are the qualifications of the project team reviewed? | ΠY | <u> </u> |
| (5) Are the qualifications of the safety staff reviewed? | ΠY | <u> </u> |
| (6) Does the evaluation of each contractor's safety performance make a difference in | | |
| awarding the contract? | | a : |
| Contractual safety requirements | | |
| (7) Does the project use a design-build contract? | ΠY | - |
| (8) Does the contract require the contractor to place at least one full-time safety | σУ | |
| representative on the project site? | " " | ١ . |
| (9) Does the contract require the contractor to submit all safety personnel résumés for the | σУ | |
| owner's approval? | " " | ١ ٠ |
| (10) Does the contract require the contractor to prepare a site-specific safety plan? | ПΥ | |
| (11) Does the contract require the contractor to submit a safety policy signed by its CEO | ПΥ | |
| (12) Does the contract require the contractor to provide a minimum specified amount of training to the construction workers? | σΥ | |
| Contractor Safety Program Requirements | | |
| Which of the following are required to be included in the contractor's safety program? | | |
| (13) Contractor must prepare a plan for site emergencies | σv | |
| (14) Contractor must conduct pre-task safety planning on the project site | άÝ | - |
| (15) Contractor must implement a substance abuse testing program | ΘÝ | - |
| Owner's involvement in project safety management | | |
| (16) Does the owner's safety representative investigate near misses? | σУ | - |
| (17) Are injury statistics on the projects maintained separately on each contractor? | ΘÝ | - |
| (18) Are all project injuries included in the owner's overall measure of safety performance? | ΘÝ | - |
| (19) The owner actively participates (gives presentations) during worker safety orientation? | äΫ | - |
| (20) Comprehension of safety training is evaluated through testing? | äΫ | - |
| Which of the following activities are performed by the owner's site safety representative? | | Н |
| (21) Enforcing safety rules and regulations | σУ | - |
| (22) Monitoring of the implementation of pre-task planning | ΞŸ | - |
| (23) Participating in safety recognition programs | ΞŸ | - |
| (24) Participating in safety and/or tool box meetings | ΟY | - |
| | <u> </u> | |
| (25) Done the compared for more in introduction before the communication of | □ Y | |
| (25) Does the owner set zero injury as its safety expectation before the commencement of site work? | | |
| | | |

What the score means:

85% or better is strong owner involvement.

40% or less indicates weak owner involvement.





Score Card Results and TRIR