

ECE 302: Lecture 4.5 Uniform Random Variable

Prof Stanley Chan

School of Electrical and Computer Engineering
Purdue University



Outline

Overall schedule:

- Continuous random variables, PDF
- CDF
- Expectation
- Mean, mode, median
- Common random variables
 - **Uniform**
 - Exponential
 - Gaussian
- Transformation of random variables
- How to generate random numbers

Today's lecture:

- Definition of uniform random variables
- Properties
- Examples

Definition

Definition

Let X be a continuous uniform random variable. The PDF of X is


$$f_X(x) = \begin{cases} \frac{1}{b-a}, & a \leq x \leq b, \\ 0, & \text{otherwise,} \end{cases} \quad (1)$$

where $[a, b]$ is the interval on which X is defined. We write


$$X \sim \text{Uniform}(a, b)$$

to say that X is drawn from a uniform distribution on an interval $[a, b]$.

PDF and CDF



(a) PDF



(b) CDF

Figure: The PDF and CDF of $X \sim \text{Uniform}(0.2, 0.6)$.

CDF

The CDF of a uniform random variable is

$$F_X(x) = \begin{cases} 0, & x < a, \\ \frac{x-a}{b-a}, & a \leq x \leq b, \\ 1, & x > b. \end{cases} \quad (2)$$

Computing probability

Example. Let $X \sim \text{Uniform}(-2, 3)$. Find

(a) $\mathbb{P}[0 \leq X \leq 1]$.

(b) $\mathbb{P}[X^2 \leq 2]$.

Discrete uniform random variables

If X is discrete, then

$$p_X(k) = \frac{1}{b - a + 1}, \quad k = a, a + 1, \dots, b.$$

The presence of “1” in the denominator of the PMF is due to the fact that k runs from a to b , including the two end points.

Moments

Theorem

If $X \sim \text{Uniform}(a, b)$, then

$$\mathbb{E}[X] = \frac{a + b}{2}, \quad \text{and} \quad \text{Var}[X] = \frac{(b - a)^2}{12}.$$

Function of uniform random variables

Example. Let $\Theta \sim \text{Uniform}(0, 2\pi)$. Let $X = \cos(\omega t + \Theta)$. Find $\mathbb{E}[X]$.

Summary

- When do we need uniform random variables?
 - Modeling quantization error
 - Generating random numbers according to an arbitrary PDF
- What do remember about a uniform random variable?

- PDF:

$$f_X(x) = \frac{1}{b-a}, \quad \text{for } a \leq x \leq b.$$

- CDF:

$$F_X(x) = \frac{x-a}{b-a}, \quad \text{for } a \leq x \leq b.$$

- Expectation:

$$\mathbb{E}[g(X)] = \int_a^b g(x)f_X(x)dx$$

Questions?