## North Central Superpave Center Update

by

Becky McDaniel NCAUPG Meeting January 28, 2004 Omaha, Nebraska



# What is the NCSC Up To?

- Research
- Equipment/Protocol Evaluations
- Training
- Communication and Technology Transfer
- Staffing
- Future Plans



## Research



# HMA Surface Friction

- Funded by Iowa, Indiana and SQDH
- Optimize microtexture and macrotexture in Superpave HMA
- Maintain friction level, but reduce need for imported high friction aggregates
- Identify test methods for lab use to test mixtures, not just aggregates




## HMA Surface Friction

- Phase I completed October 2003
  - ◆ Preliminary report on SQDH website http://widget.ecn.purdue.edu/~sqdh/
- Identified techniques for lab polishing; lab and field friction and surface texture measurement
- Phase II underway
- Project completion April 2005



# Dynamic Friction Tester





# Circular Texture Meter





# Field Data Comparison

Surface	DFT 20	CTM	F60
Porous	0.51	1.37	0.36
SMA	0.37	1.17	0.28
HMA	0.52	0.30	0.19

Porous and SMA tested before trafficking.



# Slab Polisher





# Future Applications

- Research
- Forensics
- Material selection
  - ◆ Especially new, unknown sources
- Other issues besides friction
  - ◆ Noise, for example
  - ◆ Variation in surface texture segregation, uneven maintenance treatments, wear



## Porous Asphalt for Noise Control

- Study funded by Institute for Safe,
   Quiet and Durable Highways
- Field trial of Porous Friction Course
  - ◆ Compare PFC, SMA and conventional
  - ◆ Compare different noise measurement techniques in field and lab
- Thanks to INDOT and Heritage Research



## Sideline Noise Measurements






Close Proximity Trailer





#### Pavement Type/Noise (Treaded Tire, 60 mph, NCAT CPX Lead Mic. Location)





#### Overall A-weighted Sound Pressure Level

105 102.1 99 98.4 100 A-weighted 92.7 SPL (dB) 95 90 *85* PF*C* € PCC SMA HMASurface Type



# Preliminary Findings

- PFC significantly quieter than SMA or conventional HMA
- Examine spectrum of the noise
  - ◆ SMA perceived as quieter than HMA
  - ◆ Some frequencies more annoying
- In car noise significantly different and lower on PFC



# Lab Testing

- Test in TPTA and impedance tubes in lab
- Correlate lab to field

 Predict noise levels without constructing field test sections



# Tire-Pavement Test Apparatus





Asphalt TPTA Specimens





## What's Next

- TPTA testing completed, analysis underway
- Follow-up long term performance
- Continue analysis of full spectrum data
- Report available in February or March on SQDH website
- Fundamental study of noise generation and propagation needed, proposed with NCAT



#### Other Research at the NCSC

- Performance Certification of Indiana
   Superpave Hot Asphalt Mixes
- Superpave Simple Performance Testing
- Effects of Hot Plant Fuel Characteristics and Combustion Conditions on Asphalt Concrete Quality SDDOT
- Evaluation of Surface (Top-Down)
  Longitudinal Wheel Path Cracking in Indiana
- Stiffness of HMA
- Ignition Oven for Dolomitic Aggregates



#### Other Research at the NCSC

- Pending
  - ◆ Research for Mineral Wool Manufacturer
  - ◆ NCAT Pooled Fund study on Noise
  - ◆ Other new projects
- Planning
  - ◆ Bidding on NCHRP work
- Open to research collaborations and suggestions



### Equipment/Protocol Evaluations

- FHWA sponsored evaluation of candidate simple performance tests
  - ◆ Testing completed, analysis underway
- Ruggedness testing on Binder Direct Tension completed
  - ♦600+ samples
- Iowa DOT/FHWA evaluation of various performance tests



## Test Standardization

- AASHTO T166, Bulk Specific Gravity of Compacted Bituminous Mixtures Using Saturated Surface Dry Specimens
- Sent survey in October
- Responses from five states, one contractor and one province
- Need to follow up with remaining states
  - ◆ Could not locate test methods on-line



## Test Standardization

- Most differences seem relatively minor
  - ◆ Some specify room temperature in addition to water temperature, others do not
  - ◆ Most use Method A, some use C for cores
  - ♦ MN specifies weighing to nearest tenth and drying and weighing within 15 seconds
  - ◆ KDOT has rapid method, Corelok method and T166 and method for open graded



## Test Standardization

- Now have student to help with compiling and comparing information
- Will follow up with remaining states
- Summarize differences
- Prepare white paper
- Target date: March 24



# Training in 2004

- Continued Emphasis
- Binder course, February 10-12
- Mix Design Fundamentals for Beginners, February 17-20
- Mix Design for Experienced Designers, February 26-27
- Customized courses available on request



# Superpave Guidelines for Local Agencies

- Sponsored by Minnesota DOT
- Developing guidelines for gyratory designs for Minnesota agencies
  - ◆ Training materials
  - Written guidelines
  - ◆ Flow charts and summaries, etc.
- Largely completed in February 2004



## Video Production

- New binder direct tension video has been posted on website. SGC and DAV being considered.
  - ◆ DSR, BBR, RV already there.
- RAP video, completed in 2002, will be distributed soon by TRB and/or NAPA.
  - ◆ Will be posted on our website by 2/1/04.



## Communication

- Another major emphasis area
- Newsletter (regional and national editions)
  - ◆ hard copy mailed to ~4000 people
  - ◆ electronic copies available on web page
  - coordinated, printed and distributed by NCSC three times a year for two centers
  - ◆ Northeast may rejoin the effort through U Conn
  - ◆ Current contract with NCSC and SESC only
  - ◆ Next issue Late Winter 2004 (February)



## Website

- Website
  - Maintained and updated periodically
  - ◆ Addition/expansion continuing
- Searchable database well received and expanding
- Training Videos
- Calendar
- Technical Information
- Links

http://bridge.ecn.purdue.edu/~spave/



## Presentations

- Western Cooperative Test Group
- Association of Asphalt Paving Technologists
- TRB Committee on General Asphalt Problems
- Ohio Transportation Engineering Conference
- Kansas Asphalt Paving Conference
- Minnesota Association of Asphalt Paving Technologists
- ASTM



# Staffing

- The "regulars" Jan Olek, Becky McDaniel, Lynn Warble, Ayesha Shah, Steve Bowman
- James Esler left in April 2003 for position in mechanical engineering
- Students Rolando Garcia, Will Thornton (through SQDH)



# Future Plans













## More info:

Rebecca S. McDaniel

Technical Director

North Central Superpave Center

P. O. Box 2382

West Lafayette, IN 47906

765/463-2317 ext. 226

rsmcdani@purdue.edu

http://bridge.ecn.purdue.edu/~spave/

