

# ECE 264 Advanced C Programming

2009/02/11

## Contents

1	How to Improve Your Exam Scores	1
2	Structure	2
3	Objects and Operations	4
4	Structure with Memory Allocation	6

## 1 How to Improve Your Exam Scores

These suggestions may help you improve your exam scores.

- *Make your answers easy to find.* If an answer cannot be **easily** found, it is not graded. If you write down intermediate results, make sure you also write the final answer and mark it clearly.
- *Write an answer only once.* If you write two different answers for the same question, which one should be used for grading?
- *Do not waste time.* It is unnecessary to write the same answer twice in two different places. If an answer is easy to find, one is sufficient. For a multiple-choice question, you need to choose the correct answer but it is unnecessary to copy the full description of each choice.
- *Read each question carefully.* Many questions require multiple parts. If you answer only some parts and neglect the others, you cannot receive the full score.
- *Improve your handwriting.* If your writing cannot be recognized, your answer cannot be graded.

- *Write each answer carefully.* Do **not** assume that you can finish the whole exam quickly and check the answers again. In most cases, you won't have time to check and the careless mistakes stay in the answers.
- *Get enough sleep before an exam.* If you cannot keep your eyes open, you cannot answer any question.
- *Write down what you know.* You may get some points even though you do not know the final answer. However, do not waste time writing anything that is obviously wrong.

## 2 Structure

So far we have learned two types of data: *scalar* and *array*. A scalar means a single piece of data, such as an integer (`int`), a double-precision floating-point number (`double`), or a character (`char`). An array means a collection of data of the **same** type, such as an array of integers (`int array[10]`) or characters (`char str[20];`). In many cases, however, we want to **mix** data types and create a new data type. For example, a `Person` has a name (`char []`) and an age (`int`). A group of people will be an array of `Person`. If we create two arrays—one of `char *` and the other of `int`—there is no obvious way to connect a name with this `Person`'s age. You can read the fifth's name from the first array and the second age from the second array. This causes confusion and leads to mistakes. What we need is a way to **create our own data type** for `Person`.

```
const int maxNameLength = 60;
struct Person
{
    int p_age;
    char p_name[maxNameLength];
};
```

We have created a *structure* using C's `struct`. Each person has an age and a name. We assume that a `Person`'s name cannot exceed 59 characters (the last one is for the ending character `'\0'`). These two are called the *attributes* of `Person`. How do we use the structure? Here are two examples

```
struct Person p1;
struct Person p2;
```

We have created two `Person` variables: `p1` and `p2`. To change an attribute, we can write

```
p1.p_age = 20;
strcpy(p2.p_name, "Amy Johnson");
```

Next is another example for a Date structure.

```
struct Date
{
    int d_date;
    int d_month;
    int d_year;
    char d_dayName[4]; /* Mon, Tue, Wed, ... */
    char d_monthName[4]; /* Jan, Feb, Mar, ... */
};
```

To create a Date variable, we can write

```
struct Date today;
```

You may notice the coding style I am using. The **name of a structure is a noun and starts an uppercase letter**. We are borrowing the convention adopted in object-oriented programming (OOP), where classes' names are usually nouns and starts with capital letters. I also invent my own coding convention by adding a **prefix** with an underscore before each attribute. The purpose is to make it easier to recognize what each identifier means. When we see `p_age`, we know that it is probably an attribute of a structure whose name starts with `P`. When we see `d_year`, we know that it is probably an attribute of a structure whose name starts with `D`. These conventions make the program easier to read. You can develop your own coding styles, as long as they are reasonable and consistent. You can also find the [GNU Coding Standards](#).

Instead of typing `struct` every time, we can add `typedef` before `struct`:

```
const int maxNameLength = 60;
typedef struct /* typedef before struct */
{
    int p_age;
    char p_name[maxNameLength];
} Person;
Person p1;
Person p2;
```

I am going to borrow some terms and concepts from object-oriented programming. OOP can help us organize our programs in a more consistent way.

### 3 Objects and Operations

In these two examples, `Person` and `Date` are *types*; `p1`, `p2`, and `today` are variables. We also call them *objects* even though they are **not** strictly objects for C++ or Java. They have three properties as an “object”: (1) identity (`p1` and `p2`), (2) states (names and ages), and (3) operations. (introduced later). Next example shows operations.

```
/* written in the style of object-oriented programming */
/* It is different from the example in 9.2 ABoC */
#include <stdio.h>
typedef struct
{
    double c_x;
    double c_y;
} Vector;

Vector Vector_construct(double x, double y)
{
    Vector c;
    c.c_x = x;
    c.c_y = y;
    return c;
}

Vector Vector_add(Vector c1, Vector c2)
{
    Vector c3;
    c3.c_x = c1.c_x + c2.c_x;
    c3.c_y = c1.c_y + c2.c_y;
    return c3;
}

Vector Vector_subtract(Vector c1, Vector c2)
{
    Vector c3;
    c3.c_x = c1.c_x - c2.c_x;
    c3.c_y = c1.c_y - c2.c_y;
    return c3;
}

void Vector_print(Vector c)
{
    printf("x = %f, y = %f\n", c.c_x, c.c_y);
}
```

```

}

int main(int argc, char * argv[])
{
    Vector c1 = Vector_construct(1.9, 2.4);
    Vector c2 = Vector_construct(3.4, 5.7);
    Vector c3 = Vector_add(c1, c2);
    Vector c4 = Vector_subtract(c1, c2);
    Vector_print(c1);
    Vector_print(c2);
    Vector_print(c3);
    Vector_print(c4);
    return 0;
}

/*
    output
    x = 1.900000, y = 2.400000
    x = 3.400000, y = 5.700000
    x = 5.300000, y = 8.100000
    x = -1.500000, y = -3.300000
*/

```

In this example, we create a structure for 2-dimensional Vectors and four operations. You may find that **each operation starts with the prefix Vector** so that we know the operations are for the Vector structure. This is another example making the program easier to understand. You may also notice that **each operation is a verb**.

The first function `Vector_construct` creates an object of `Vector` by taking two arguments, for the x and the y coordinates. The next two functions add and subtract `Vector` objects and return the results. Finally, the last function prints the coordinates.

The next example creates an array of structures. Each element is treated as a `Vector` object.

```

int main(int argc, char * argv[])
{
    Vector ca[4];
    ca[0] = Vector_construct(1.9, 2.4);
    ca[1] = Vector_construct(3.4, 5.7);
    ca[2] = Vector_add(ca[0], ca[1]);
    ca[3] = Vector_subtract(ca[0], ca[1]);
    Vector_print(ca[0]);
    Vector_print(ca[1]);
}

```

```
Vector_print(ca[2]);
Vector_print(ca[3]);
return 0;
}
```

## 4 Structure with Memory Allocation

In `Vector`, the attributes are *scalars*: double-precision floating point numbers. What happens if an attribute needs to allocate memory? The next example shows how to do that. As our program becomes more and more complicated, we should organize it into multiple files. This program has three files. In addition, we create `Makefile` (exercise 3) so that we do not have to compile and link the files by typing all commands every time. We just need to type `make`.

```
#ifndef PERSON_H
#define PERSON_H
typedef struct
{
    int p_age;
    char * p_name;
} Person;

Person Person_construct(int a, char * n);
void Person_destruct(Person p);
int Person_getAge(Person p);
char * Person_getName(Person p);
void Person_print(Person p);
#endif
```

A *header file* (extension `.h`) has the following structure

```
#ifndef FILENAME_H
#define FILENAME_H
...
#endif
```

Right now, our program is not complex enough to explain the necessity of this structure. For the time being, just remember the format. If you use `Eclipse`, it automatically adds `#ifndef ... #endif` to header files.

A header file provides *type* and *function declarations*. In this example, we declare a structure called `Person` and several functions related to the structure.

The next file is a *source file* and *implements* the functions declared in the header file. A typical C program has several header files (`.h`) and corresponding source files (`.c`).

```
#include "person.h"
/* system header file, use < > */
/* additional header file, use " " */
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
Person Person_construct(int a, char * n)
{
    Person p;
    p.p_age = a;
    p.p_name = malloc((strlen(n) + 1) * sizeof(char));
    strcpy(p.p_name, n);
    return p;
}

void Person_destruct(Person p)
{
    free (p.p_name);
}

int Person_getAge(Person p)
{
    return p.p_age;
}

char * Person_getName(Person p)
{
    return p.p_name;
}

void Person_print(Person p)
{
    printf("age= %d, name= %s\n", p.p_age, p.p_name);
}
```

The *constructor* allocates memory for the name. Please remember that `strlen` does not include the ending character `'\0'` and we have to allocate one additional character.

**When we allocate memory in the constructor, we should also create a destructor (called destruct) to release the memory.** Otherwise, the program will leak memory. We also have two functions to retrieve the age and the name of a Person object.

In addition to pairs of .h and .c files, a file contains the main function. The main function creates two Person objects, p1 and p2. We can compare their ages to determine who is younger.

```
#include <stdio.h>
#include "person.h"
int main(int argc, char * argv[])
{
    Person p1 = Person_construct(19, "Tom Johnson");
    Person p2 = Person_construct(21, "Mary Smith");
    Person_print(p1);
    Person_print(p2);
    if (Person_getAge(p1) > Person_getAge(p2))
    {
        printf("%s is older than %s\n", Person_getName(p1),
            Person_getName(p2));
    }
    else
    {
        if (Person_getAge(p1) < Person_getAge(p2))
        {
            printf("%s is younger than %s\n", Person_getName(p1),
                Person_getName(p2));
        }
        else
        {
            printf("%s and %s have the same age\n", Person_getName(p1),
                Person_getName(p2));
        }
    }
    Person_destruct(p1);
    Person_destruct(p2);
    return 0;
}

/*
output:
age= 19, name= Tom Johnson
age= 21, name= Mary Smith
Tom Johnson is younger than Mary Smith
```

```
*/
```

Since we have several files now, compiling and linking them requires running `gcc` several times. We use `Makefile` for this purpose.

```
person: person.h person.c main.c
    gcc -Wall -c person.c
    gcc -Wall -c main.c
    gcc -Wall person.o main.o -o person
clean:
    rm -f *.o person
```

This program actually has a serious problem, as shown in the next example.

```
#include <stdio.h>
#include <string.h>
#include "person.h"
int main(int argc, char * argv[])
{
    Person p1 = Person_construct(19, "Tom Johnson");
    Person p2 = Person_construct(21, "Mary Smith");
    Person_print(p1);
    Person_print(p2);
    p1 = p2; /* assign p2 to p1, they should be the same */
    Person_print(p1);
    Person_print(p2);
    strcpy(p1.p_name, "Edward"); /* modify p1's name */
    Person_print(p2); /* p2's name is also changed to Edward */
    Person_destruct(p1);
    Person_destruct(p2);
    return 0;
}

/*
output:
age= 19, name= Tom Johnson
age= 21, name= Mary Smith
age= 21, name= Mary Smith
age= 21, name= Mary Smith
age= 21, name= Edward
*** glibc detected *** double free or corruption (fasttop): 0x0804a018 ***
===== Backtrace: =====
/lib/tls/i686/cmov/libc.so.6[0x4009ca85]
/lib/tls/i686/cmov/libc.so.6(cfree+0x90)[0x400a04f0]
```

```

./person4[0x80484eb]
./person4[0x8048612]

*/

```

The first four lines have nothing special. We create two `Person` objects and print them. The outputs are expected. Next, we assign `p2` to `p1`. We print these two objects again. Both of them show “Mary Smith.” The next line changes `p1`’s name to Edward. Since “Edward” is shorter than “Mary Smith”, there is enough space for the new name. The next line prints `p2` and it shows “Edward”.

We changed `p1`’s name and also `p2`’s name. Let’s consider the following code for comparison.

```

int x = 1;
int y = 5;
x = y; /* x is 5 now */
x = 18; /* x is 18, what is y? */

```

What is the value of `y`? It should be 5, right? We would be surprised if `y` were 18.

Remember that the name is stored as an array of characters and an array is a pointer. When we use

```

p1 = p2;

```

C does *shallow copy* by assigning the **address**, not the value, of `p2`’s name to `p1`’s name. As a result, `p1`’s name and `p2`’s name **share the same address** (`p2`’s address). When we modify `p1`’s name, we also modify `p2`’s name. The memory allocated to `p1`’s name is no longer accessible; this is an example of memory leak. This also explains why `Person_destruct` causes problems. When we try to release the memory allocated to `p2`’s name, it has already been released earlier, by `Person_destruct(p1)`.

We will solve this problem in the next lecture using a concept called *deep copy*.