


Paleoseismic Investigations for Determining the Design Ground Motions for Nuclear Power Plants

Russell A. Green

Department of Civil and Environmental Engineering



Acknowledgements:


Collaborators:

- Dr. Scott M. Olson, University of Illinois
- Dr. Stephen Obermeier, US Geological Survey, retired
- Ms. Kate Gunberg, PhD Student, University of Michigan

Funding:


- US National Science Foundation

Locations of Newly Proposed Nuclear Reactors



At least 26 new commercial nuclear reactors at least 16 different sites in at least 12 different states


Percent Cost of a Nuclear Plant vs. Earthquake Ground Acceleration



(Stevenson 2003)

**Review of Earthquake Geology
and
Engineering Seismology**


Geology of Earthquakes






Earthquakes in Stable Continental Regions???

Plate Boundaries: Divergent \ Convergent ◁ "Teeth" on Overriding Plate Transform - Poorly Defined


Geology of Earthquakes in Stable Continental Crust




Geology of Earthquakes in Stable Continental Crust




Reelfoot Rift



Seismicity of the Eastern United States: 1977 - 1997




Gutenberg-Richter Magnitude Recurrence Relationship (b-line)




Paleoliquefaction Features -- Secondary Evidence

Review of Liquefaction Phenomenon




Review of Liquefaction Phenomenon





DURING LIQUEFACTION


Review of Liquefaction Phenomenon



Review of Liquefaction Phenomenon




Review of Liquefaction Phenomenon




Geologic Evidence of Earthquakes - Liquefaction



Review of “Simplified” Liquefaction Evaluation Procedure




$$CSR_{M7.5} = 0.65 \underbrace{\frac{a_{\max}}{g} \frac{\sigma_v}{\sigma'_{v_0}} r_d}_{\text{amplitude}} \underbrace{\frac{1}{MSF}}_{\text{duration}}$$



Review of “Simplified” Liquefaction Evaluation Procedure


MSF Proposed by Various Investigators




Review of “Simplified” Liquefaction Evaluation Procedure

Factor of Safety
Against Liquefaction:

$$FS = \frac{CRR}{CSR_{M7.5}}$$



Evidence of Large Paleoearthquakes in the Wabash Valley



Paleoliquefaction in the Wabash Valley




(Obermeier 1998)

Paleoliquefaction in the Wabash Valley




(Obermeier 1998)

Paleoliquefaction in the Wabash Valley




(Obermeier 1998)

Paleoliquefaction in the Wabash Valley



(Obermeier 1998)


Simplified Liquefaction Evaluation Procedure



$$FS = \frac{CRR}{CSR_{M7.5}}$$


Back Analyses (simplified procedure)

$$FS = \frac{CRR}{CSR_{M7.5}} = 1 \quad \Rightarrow \quad a_{\max} = CRR \cdot MSF \cdot \frac{g \sigma'_{v_0}}{0.65 \sigma'_v r_d}$$




Back Analyses (simplified procedure)

$$FS = \frac{CRR}{CSR_{M7.5}} = 1 \quad \Rightarrow \quad a_{\max} = CRR \cdot MSF \cdot \frac{g \sigma'_{V_0}}{0.65 \sigma_V r_d}$$




Wabash Valley Seismic Zone




Wabash Valley Seismic Zone

Regional Integration of Data



New Madrid Seismic Zone



Summary

- The renewed interest in nuclear power will require the accurate quantification of the earthquake hazard.
- In the low-to-moderate seismic zones, paleoliquefaction studies have proven to be a valuable tool in determining the recurrence time of moderate-to-large earthquakes.

The End!!



References:

- Cramer, C.H. (2001). "A Seismic Hazard Uncertainty Analysis for the New Madrid Seismic Zone," *Engineering Geology*, 62:251-266.
- Dutton, C.E. (1889). "The Charleston Earthquake of August 31, 1886," USGS Ninth Annual Report 1887-1888, US Geological Survey, Washington, DC, 203-528.
- Green, R.A., Olson, S.M., and Obermeier, S.F. (2005) . "Engineering Geologic and Geotechnical Analysis of Paleoseismic Shaking Using Liquefaction Effects: Field Examples," *Engineering Geology*, 76: 209-234.
- Johnston, A.C. and Kanter, L.R. (1990). "Earthquakes in Stable Continental Crust," *Scientific American*, 262(3): 68-75.
- NCEER (1997). Proceeding of the NCEER Workshop on Evaluation of Liquefaction Resistance of Soils, (T.L. Youd and I.M. Idriss, eds.), Technical Report NCEER-97-0022, National Center for Earthquake Engineering Research, State University of New York at Buffalo, 276pp.
- Obermeier, S.F. (1996). Use of Liquefaction-Induced Features for Paleoseismic Analysis – An Overview of How Seismic Liquefaction Features can be Distinguished from Other Features and How Their Regional Distribution and Properties of Source Sediment can be Used to Infer the Location and Strength of Holocene Paleo-Earthquakes, *Engineering Geology*, 44:1-76.
- Obermeier, S.F. (1998). "Seismic Liquefaction Features: Examples from Paleoseismic Investigations in the Continental United States," USGS Open-file Report 98-488, US Geological Survey, Reston, VA, <http://pubs.usgs.gov/of/1998/of98-488/>
- Olson, S.M., Obermeier, S.F., Pogue, K.R., and Green, R.A. (2007). "Origin of the Clastic Dikes in Missoula Flood Sediments and Potential Impacts on Hazard Analysis," *Engineering Geology* (*in review*).

Reiter, L. (1990). *Earthquake Hazard Analysis, Issues and Insights*, Columbia University Press, NY.

Schwartz, D.P. and Coppersmith, K.J. (1984). "Fault Behavior and Characteristic Earthquakes: Examples from the Wasatch and San Andreas Faults," *Journal of Geophysical Research*, 89:5681-5698.

Stevenson, J.D. (2003). "Historical Development of the Seismic Requirements for Construction of Nuclear Power Plants in the U.S. and Worldwide and their Current Impact on Cost and Safety," Transactions of the 17th Intern. Conf. on Structural Mechanics in Reactor Technology (SMiRT 17), Paper #A01

Steinbrugge Collection: http://nisee.berkeley.edu/visual_resources/steinbrugge_collection.html