

Connected Component Analysis

- Once region boundaries have been detected, it is often useful to extract regions which are not separated by a boundary.
- Any set of pixels which is not separated by a boundary is called connected.
- Each maximal region of connected pixels is called a connected component.
- The set of connected components partition an image into segments.
- Image segmentation is a useful operation in many image processing applications.

Connected Neighbors

- Let ∂s be a neighborhood system.
 - 4-point neighborhood system
 - 8-point neighborhood system
- Let $c(s)$ be the set of neighbors that are connected to the point s .

For all s and r , the set $c(s)$ must have the properties that

- $c(s) \subset \partial s$
- $r \in c(s) \Leftrightarrow s \in c(r)$

- Example:

$$c(s) = \{r \in \partial s : X_r = X_s\}$$

- Example:

$$c(s) = \{r \in \partial s : |X_r - X_s| < Threshold\}$$

- In general, computation of $c(s)$ might be very difficult, but we won't worry about that now.

Connected Sets

- Definition: A region $R \subset S$ is said to be connected under $c(s)$ if for all $s, r \in R$ there exists a sequence of M pixels, s_1, \dots, s_M such that

$$s_1 \in c(s), s_2 \in c(s_1), \dots, s_M \in c(s_{M-1}), r \in c(s_M)$$

i.e. there is a connected path from s to r .

Example of Connect Sets

- Consider the following image X_s

```

1 1 1 0 0 0
1 1 1 0 0 0
1 1 1 0 0 0
0 0 0 1 1 1
0 0 0 1 1 1
0 0 0 1 1 1

```

$$S_1 = \{s : X_s = 1\}$$

$$S_0 = \{s : X_s = 0\}$$

- Define $c(s) = \{r \in \partial s : X_r = X_s\}$
- Result
 - 4-point neighborhood $\Rightarrow S_0$ and S_1 are not connected sets
 - 8-point neighborhood $\Rightarrow S_0$ and S_1 **are** connected sets!

Region Growing

- Idea - Find a connected set by growing a region from a seed point s_0
- Assume that $c(s)$ is given

$ClassLabel = 1$

Initialize $Y_r = 0$ for all $r \in S$

ConnectedSet($s_0, Y, ClassLabel$) {

$B \leftarrow \{s_0\}$

 While B is not empty {

$s \leftarrow$ any element of B

$B \leftarrow B - \{s\}$

$Y_s \leftarrow ClassLabel$

$B \leftarrow B \cup \{r : r \in c(s) \text{ and } Y_r = 0\}$

 }

 return(Y)

}

Region Growing Example (1)

The list of
 $(i, j) \in B$
 $(0,0)$

		The image X				
		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	1

The segmentation Y

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	0	0	0	0	0
	2	0	0	0	0	0
	3	0	0	0	0	0
	4	0	0	0	0	0

Region Growing Example (2)

The list of
 $(i, j) \in B$
 $(1,0)$

The image X

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	1

The segmentation Y

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	0	0	0	0
	2	0	0	0	0	0
	3	0	0	0	0	0
	4	0	0	0	0	0

Region Growing Example (3)

The list of
 $(i, j) \in B$
 (1,1)

The image X

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	1

The segmentation Y

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	0	0	0	0
	3	0	0	0	0	0
	4	0	0	0	0	0

Region Growing Example (4)

The list of
 $(i, j) \in B$
 (2,1)

The image X

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	1

The segmentation Y

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	0	0	0
	3	0	0	0	0	0
	4	0	0	0	0	0

Region Growing Example (5)

The list of

$(i, j) \in B$

(3,1)

(2,2)

The image X

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	1

The segmentation Y

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	0	0	0
	4	0	0	0	0	0

Region Growing Example (6)

The list of

$(i, j) \in B$

(4,1)

(3,2)

(2,2)

The image X

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	1

The segmentation Y

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	0

Region Growing Example (7)

The list of

$(i, j) \in B$

(3,2)

(2,2)

The image X

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	1

The segmentation Y

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	0

Region Growing Example (8)

The list of
 $(i, j) \in B$
 $(2, 2)$

The image X

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	1

The segmentation Y

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	0

Region Growing Example (9)

The list of
 $(i, j) \in B$
 empty

		The image X				
		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	1

The segmentation Y

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	0

Connected Components Extraction

- Iterate through each pixel in the image.
- Extract connected set for each unlabeled pixel.

$ClassLabel = 1$

Initialize $Y_r = 0$ for $r \in S$

For each $s \in S$ {

 if($Y_s = 0$) {

 ConnectedSet($s, Y, ClassLabel$)

$ClassLabel \leftarrow ClassLabel + 1$

 }

}

Connected Components Extraction Example (1)

$s = (i, j);$
ClassLabel
 $(0, 0); 1$

The image X

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	1

The segmentation Y

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	0

Connected Components Extraction Example (2)

$s = (i, j);$
ClassLabel
 $(0, 1); 2$

The image X

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	1

The segmentation Y

		j				
		0	1	2	3	4
i	0	1	2	2	2	2
	1	1	1	2	2	2
	2	0	1	1	2	2
	3	0	1	1	2	2
	4	0	1	2	2	0

Connected Components Extraction Example (3)

$s = (i, j);$
ClassLabel
 $(2, 0); 3$

The image X

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	1

The segmentation Y

		j				
		0	1	2	3	4
i	0	1	2	2	2	2
	1	1	1	2	2	2
	2	3	1	1	2	2
	3	3	1	1	2	2
	4	3	1	2	2	0

Connected Components Extraction Example (4)

$s = (i, j);$
ClassLabel
 $(4, 4); 4$

The image X

		j				
		0	1	2	3	4
i	0	1	0	0	0	0
	1	1	1	0	0	0
	2	0	1	1	0	0
	3	0	1	1	0	0
	4	0	1	0	0	1

The segmentation Y

		j				
		0	1	2	3	4
i	0	1	2	2	2	2
	1	1	1	2	2	2
	2	3	1	1	2	2
	3	3	1	1	2	2
	4	3	1	2	2	4