COM	1E	R	
May	6,	201	5

ECE 302 Final Exam

1.	Enter your name and signature in the space provided below. YOUR SIGNATURE CERTIFIES THAT YOU WILL NOT ENGAGE IN ANY CHEATING DURING THIS EXAM.
2.	You may not use a calculator or any other reference materials.

Name:

Signature:

No Partial Credit

You must CLEARLY select one answer for each problem.

1.	(5 points) Consider two random variables X and Y with $Var(X) = 5$, $Var(Y) = 3$, and $E[(X + Y)^2] = 12$. Find the correlation $E[XY]$.	+
	(a) 1/4	
	(b) 1/2	
	(c) 4	
	(d) 2	
	(e) 16	
	(f) 8	
	(g) 0	
2.	(5 points) The Strong Law of Large Numbers states that, with probability 1,	
	(a) The sample mean of a Gaussian random variable X is equal to the expected value of X .	
	(b) The sum of a sequence of iid random variables converges to a uniform random variable.	
	(c) The sample mean of a random variable X is equal to the expected value of X .	
	(d) The sum of a sequence of iid random variables converges to a Gaussian random variable.	
	(e) The sample mean of a random variable X converges to the expected value of X .	
3.	(5 points) Consider two random variables X and Y with joint probability mass function $p_{XY}(0,0) = 0.4$, $p_{XY}(0,1) = 0.1$, $p_{XY}(1,0) = 0.2$, $p_{XY}(1,1) = 0.3$. Find the correlation $E[XY]$.	=
	(a) 0.1	
	(b) 0.2	
	(c) 0.3	
	(d) 0.4	
	(e) 0.5	
	(f) 0.6	
	(g) 0.8	
	(h) 0.9	
	(i) 1.0	
4.	(5 points) Consider the random process $X(t) = At + b$, where A is a random variable with mean μ . What is the expected value of $X(1)$?	$_A.$
	(a) b	
	(b) μ_A	
	(c) $\mu_A t + b$	
	(d) $\mu_A t$	

(e) A + b(f) $\mu_A + b$

Limited Partial Credit

You must put your final answers in the boxes provided. Credit of either 0, 5, or 10 points will be granted for each problem. You must show your work to get credit.

5.	(10 points) Consider a random process $X(t) = exp(At)$, where A is a continuous random variable.
	Find the cumulative distribution function of the random variable $X(t)$ in terms of either the cumulative
	distribution function or the probability density function of A .

Answer:

6. (10 points) The joint density function of random variables X and Y is given by

$$f_{XY}(x,y) = e^{-(x+y)}$$

for x > 0, y > 0. Find the conditional density function of Y given X = x.

Answer:

7. (10 points) Let X be an exponential random variable with parameter λ . Find the conditional cumulative distribution function $F_X(x|X>t)$ for some real number t. Note that an exponential random variable with parameter λ has density function $f_X(x)=\lambda \exp(-\lambda x)u(x)$.

	Answer:	
8.	(10 points) Consider a wide-sense stationary random process $X(t)$ with autoconstant $R_X(\tau) = \exp(- \tau)$. Find the autocorrelation function of the output of the line system with impulse response $h(t) = \exp(-t)u(t)$ when the input to the system use results derived in class, and you may leave your answer in the form of convolutions.	near time-invariant is $X(t)$. You may
	Answer:	

Partial Credit Problems

You must completely justify your solution to get full credit. Partial credit will be given at the discretion of the instructor.

9. (20 points) Let $Z(t) = At^3 + B$, where A and B are independent random variables. Find the mean function $\mu_Z(t)$ and the autocorrelation function $R_{ZZ}(t_1,t_2)$.

10. (20 points) Consider two random variables X and Y with joint probability mass function $p_{XY}(0,0)=0.4, p_{XY}(0,1)=0.1, p_{XY}(1,0)=0.2, p_{XY}(1,1)=0.3$. Find the conditional probability mass function of X given Y=1.