

# An Algorithm for the Machine Calculation of Complex Fourier Series

By James W. Cooley and John W. Tukey

An efficient method for the calculation of the interactions of a  $2^m$  factorial experiment was introduced by Yates and is widely known by his name. The generalization to  $3^m$  was given by Box et al. [1]. Good [2] generalized these methods and gave elegant algorithms for which one class of applications is the calculation of Fourier series. In their full generality, Good's methods are applicable to certain problems in which one must multiply an  $N$ -vector by an  $N \times N$  matrix which can be factored into  $m$  sparse matrices, where  $m$  is proportional to  $\log N$ . This results in a procedure requiring a number of operations proportional to  $N \log N$  rather than  $N^2$ . These methods are applied here to the calculation of complex Fourier series. They are useful in situations where the number of data points is, or can be chosen to be, a highly composite number. The algorithm is here derived and presented in a rather different form. Attention is given to the choice of  $N$ . It is also shown how special advantage can be obtained in the use of a binary computer with  $N = 2^m$  and how the entire calculation can be performed within the array of  $N$  data storage locations used for the given Fourier coefficients.

Consider the problem of calculating the complex Fourier series

$$(1) \quad X(j) = \sum_{k=0}^{N-1} A(k) \cdot W^{jk}, \quad j = 0, 1, \dots, N-1,$$

where the given Fourier coefficients  $A(k)$  are complex and  $W$  is the principal  $N$ th root of unity,

$$(2) \quad W = e^{2\pi i/N}.$$

A straightforward calculation using (1) would require  $N^2$  operations where "operation" means, as it will throughout this note, a complex multiplication followed by a complex addition.

The algorithm described here iterates on the array of given complex Fourier amplitudes and yields the result in less than  $2N \log_2 N$  operations without requiring more data storage than is required for the given array  $A$ . To derive the algorithm, suppose  $N$  is a composite, i.e.,  $N = r_1 \cdot r_2$ . Then let the indices in (1) be expressed

$$(3) \quad \begin{aligned} j &= j_1 r_1 + j_0, & j_0 &= 0, 1, \dots, r_1 - 1, & j_1 &= 0, 1, \dots, r_2 - 1, \\ k &= k_1 r_2 + k_0, & k_0 &= 0, 1, \dots, r_2 - 1, & k_1 &= 0, 1, \dots, r_1 - 1. \end{aligned}$$

Then, one can write

$$(4) \quad X(j_1, j_0) = \sum_{k_0} \sum_{k_1} A(k_1, k_0) \cdot W^{j k_1 r_2} W^{j k_0}.$$

---

Received August 17, 1964. Research in part at Princeton University under the sponsorship of the Army Research Office (Durham). The authors wish to thank Richard Garwin for his essential role in communication and encouragement.

# James William Cooley

*Born September 18, 1926; with [John Tukey](#), creator of the fast Fourier transform.*



*Education:* BA, arts, Manhattan College, 1949; MA, mathematics, Columbia University, 1951; PhD, applied mathematics, Columbia University, 1961.

*Professional Experience:* programmer, Institute for Advanced Study, Princeton University, 1953-1956; research assistant, mathematics, Courant Institute, New York University, 1956-1962; research staff, IBM Watson Research Center, 1962-1991; professor, electrical engineering, University of Rhode Island, 1991-present.

*Honors and Awards:* Contribution Award, Audio and Acoustics Society, 1976; Meritorious Service Award, ASSP Society, 1980; Society Award, Acoustics Speech and Signal Processing, 1984; IEEE Centennial Award, 1984; fellow, IEEE

James W. Cooley started his career in applied mathematics and computing when he worked and studied under Professor F.J. Murray at Columbia University. He then became a programmer in the numerical weather prediction group at [John von Neumann](#)'s computer project at the Institute for Advanced Study in Princeton, New Jersey. [See the [biography of Jule Charney](#).] In 1956, he started working as a research assistant at the Courant Institute at New York University, New York. Here he worked on numerical methods and programming of quantum mechanical calculations (Cooley 1961). This led to his thesis for his PhD degree from Columbia University.

In 1962 he obtained a position as a research staff member at the IBM Watson Research Center in Yorktown Heights, New York. Here he worked on numerical methods for solving ordinary and partial differential equations, solutions of hole-electron diffusion equations for semiconductors, and numerous other research projects. He collaborated with Fred Dodge, a neurophysiologist, in research in neurophysiology including modeling of electrical activity in nerve membranes and in heart muscle (Cooley and Dodge 1966).

With John Tukey, he wrote the fast Fourier transform (FFT) paper (Cooley and Tukey 1965) that has been credited with introducing the algorithm to the digital signal processing and scientific community in general.

Cooley spent the academic year 1973-1974 on a sabbatical at the Royal Institute of Technology, Stockholm, Sweden. He gave courses on the FFT and its applications there and in several other

locations in Europe and worked on new versions of the FFT and on number theoretic Fourier transforms.

In 1974 Cooley started collaboration with S. Winograd and R. Agarwal on applications of computational complexity theory to convolution and Fourier transform algorithms (Agarwal and Cooley 1977).

Around 1985 he worked with a group that programmed the elementary functions for the new IBM 3090 Vector Facility. He and the same group also produced the Digital Signal Processing subroutines for the Engineering and Scientific Subroutine Library (ESSL) for the IBM 3090 Vector Facility and, later, for the new IBM RS6000 computer (Agarwal and Cooley 1987).

Cooley retired from IBM in 1991 and joined the faculty of the Electrical Engineering Department of the University of Rhode Island as director of the computer engineering program.

## BIBLIOGRAPHY

### Significant Publications

Agarwal, R.C., and J.W. Cooley, "New Algorithms for Digital Convolution," *IEEE Trans. Acoust., speech, Signal Processing*, Vol. ASSP-25, No. 5, Oct. 1977, pp. 392-410.

Agarwal, R.C., and J.W. Cooley, "Vectorized Mixed Radix Fourier Transform Algorithms," *IEEE Proc.*, Sept. 1987, pp. 1283-1292.

Cooley, J.W., "An Improved Eigenvalue Corrector Formula for Solving the Schrodinger Equation for Central Fields," *Mathematics of Computation*, Vol. 15, No. 7, Oct. 1961, pp. 363-374.

Cooley, J.W., and F.A. Dodge, Jr., "Digital Computer Solutions for Excitation and Propagation of the Nerve Impulse," *Biophysical J.*, Vol. 6, No. 5, 1966.

Cooley, J.W., and J.W. Tukey, "An Algorithm for the Machine Calculation of Complex Fourier Series," *Mathematics of Computation*, Vol. 19, Apr. 1965, p. 297.

## UPDATES

Portrait changed (MRW, 2012)

[PDF version](#)

Original content Copyright © 1995 by the Institute of Electrical and Electronics Engineers Inc.

New content Copyright © 2013-2015 by the IEEE Computer Society and the Institute of Electrical and Electronics Engineers Inc.

All rights reserved. This material may not be reproduced or redistributed without the express written permission of the copyright holder.

# John Tukey

From Wikipedia, the free encyclopedia

**John Wilder Tukey** (June 16, 1915 - July 26, 2000) was a statistician born in New Bedford, Massachusetts.

Tukey obtained a B.A. in 1936 and M.Sc. in 1937, in Chemistry, from Brown University, before moving to Princeton University where he received his Ph.D. in mathematics. During World War II, Tukey worked at the Fire Control Research Office and collaborated with Samuel Wilks and William Cochran. After the war, he returned to Princeton, dividing his time between the university and AT&T Bell Laboratories. He was awarded the IEEE Medal of Honor in 1982 "For his contributions to the spectral analysis of random processes and the fast Fourier transform (FFT) algorithm."

## Contents

- 1 Scientific contributions
- 2 Quotes
- 3 Bibliography
- 4 External links
- 5 References

## Scientific contributions


His statistical interests were many and varied. He is particularly remembered for his development with James Cooley of the Cooley-Tukey FFT algorithm. In 1970, he contributed significantly to what is today known as the jackknife estimation—also termed Quenouille-Tukey jackknife. He introduced the box plot in his 1977 book, *Exploratory Data Analysis*.

He also contributed to statistical practice and articulated the important distinction between exploratory data analysis and confirmatory data analysis, believing that much statistical methodology placed too great an emphasis on the latter. Though he believed in the utility of separating the two types of analysis, he pointed out that sometimes, especially in natural science, this was problematic and termed such situations uncomfortable science.

He wrote four papers with his fifth cousin Paul Tukey, who was an undergraduate at Princeton when they met.

Among many contributions to civil society, Tukey served on a committee of the American Statistical

<b>Born</b>	<b>John Tukey</b> June 16, 1915 New Bedford, Massachusetts, USA
<b>Died</b>	July 26, 2000 (aged 85) New Brunswick, NJ, USA
<b>Residence</b>	<span><span></span></span> USA
<b>Nationality</b>	<span><span></span></span> American
<b>Field</b>	Mathematician
<b>Institutions</b>	Bell Labs Princeton University
<b>Alma mater</b>	Brown University Princeton University
<b>Academic advisor</b>	Solomon Lefschetz
<b>Notable students</b>	Frederick Mosteller
<b>Known for</b>	FFT algorithm Box plot
<b>Notable prizes</b>	IEEE Medal of Honor (1982)



Association that produced a report challenging the conclusions of the Kinsey Report, *Statistical Problems of the Kinsey Report on Sexual Behavior in the Human Male*.

Tukey coined many statistical terms that have become part of common usage, but the two most famous coinages attributed to him were related to computer science. While working with John von Neumann on early computer designs, Tukey introduced the word "bit" as a contraction of binary digit<sup>[1]</sup>. The term bit was first used in an article by Claude Shannon in 1948. Tukey used the term "software" in a computing context in a 1958 article for *American Mathematical Monthly*, the first published use of the term.<sup>[2]</sup>

A D Gordon offered the following summary of Tukey's principles for statistical practice:

... the usefulness and limitation of mathematical statistics; the importance of having methods of statistical analysis that are robust to violations of the assumptions underlying their use; the need to amass experience of the behaviour of specific methods of analysis in order to provide guidance on their use; the importance of allowing the possibility of data's influencing the choice of method by which they are analysed; the need for statisticians to reject the role of 'guardian of proven truth', and to resist attempts to provide once-for-all solutions and tidy over-unifications of the subject; the iterative nature of data analysis; implications of the increasing power, availability and cheapness of computing facilities; the training of statisticians.

He is also the creator of several little-known methods such as the trimean and Median-Median line, an easier alternative to linear regression.

Tukey retired in 1985. In 2000, he died in New Brunswick, New Jersey.

## Quotes

- "Far better an approximate answer to the right question, which is often vague, than the exact answer to the wrong question, which can always be made precise." J. W. Tukey (1962), "The future of data analysis". *Annals of Mathematical Statistics* 33(1), pp. 1-67.
- "The combination of some data and an aching desire for an answer does not ensure that a reasonable answer can be extracted from a given body of data." J. W. Tukey (1986), "Sunset salvo". *The American Statistician* 40(1). Online at <http://www.jstor.org/view/00031305/di020589/02p0102y/0>

## Bibliography

- Hoaglin, D C; Mosteller, F & Tukey, John Wilder (Eds) (1985). *Exploring Data Tables, Trends and Shapes*. ISBN 0-471-09776-4.
- Hoaglin, D C; Mosteller, F & Tukey, John Wilder (Eds) (1983). *Understanding Robust and Exploratory Data Analysis*. ISBN 0-471-09777-2.
- Tukey, John Wilder (1977). *Exploratory Data Analysis*. ISBN 0-201-07616-0.

## External links

- (published in the *Annals of Statistics*) *John W. Tukey: His Life and Professional Contributions* (<http://www.stat.berkeley.edu/~brill/Papers/life.pdf>)
- Memories of John Tukey (<http://cm.bell-labs.com/cm/ms/departments/sia/tukey/index.html>)

- Short biography (<http://stat.bell-labs.com/who/tukey/bio.html>) by Mary Bittrich
- Obituary (<http://stat.bell-labs.com/who/tukey/nytimes.html>)
- "John W. Tukey - The Man and His Many Achievements" (<http://www.youtube.com/watch?v=isDIJvb1VN4>) Video Biography
- "Remembering John W. Tukey" (<http://projecteuclid.org/Dienst/UI/1.0/Summarize/euclid.ss/1076102421>) , special issue of *Statistical Science*
- John Tukey (<http://www.genealogy.ams.org/html/id.phtml?id=15860>) at the Mathematics Genealogy Project

## References

- O'Connor, John J; Edmund F. Robertson "John Tukey". *MacTutor History of Mathematics archive*.
- Interview of John Tukey about his experience at Princeton ([http://infoshare1.princeton.edu/libraries/firestone/rbrc/finding\\_aids/mathoral/pmc41.htm](http://infoshare1.princeton.edu/libraries/firestone/rbrc/finding_aids/mathoral/pmc41.htm))

### Footnoted references

1. ^ The origin of the 'bit' (<http://www.linfo.org/bit.html>)
2. ^ John Tukey, 85, Statistician; Coined the Word 'Software', New York Times, Obituaries, July 28, 2000

Awards		
Preceded by <b>Sidney Darlington</b>	<b>IEEE Medal of Honor</b> 1982	Succeeded by <b>Nicolaas Bloembergen</b>

Retrieved from "[http://en.wikipedia.org/wiki/John\\_Tukey](http://en.wikipedia.org/wiki/John_Tukey)"

Categories: 1915 births | 2000 deaths | Brown University alumni | Princeton University alumni | Princeton University faculty | American statisticians | National Medal of Science laureates | IEEE Medal of Honor recipients | Data analysis | Presidents of the Institute of Mathematical Statistics

- 
- This page was last modified on 19 January 2008, at 20:15.
  - All text is available under the terms of the GNU Free Documentation License. (See **Copyrights** for details.)  
Wikipedia® is a registered trademark of the Wikimedia Foundation, Inc., a U.S. registered 501(c)(3) tax-deductible nonprofit charity.