



CE 614 – Statistical and Econometric Methods

Assignment #4 (Discrete Data - Logit Analysis)

Using the information from assignment #3, perform the following:

1. Develop a new model with a price variable in all three choice alternatives. The price variable is created as:

set price = ((distance/10)/mpg)*1.05
2. Calculate direct elasticities for all variables using the Limdep "effects" command (see software command-file downloads for assignment #3). Briefly comment on your findings.
3. Perform a likelihood ratio test to determine if men and women should be modeled separately. The test statistic is (see page 334 in the text):

$$-2[LL(\beta_T) - LL(\beta_M) - LL(\beta_F)]$$

where $LL(\beta_T)$ is the log-likelihood at convergence of the model estimated with the data (males and females), $LL(\beta_M)$ is the log-likelihood at convergence of the model using only male data (use Limdep commands: **reject;x11=0\$**; then return to full sample with **include;x11=0\$**), and $LL(\beta_F)$ is the log-likelihood at convergence of the model using only female data (**reject;x11=1\$**; **include;x11=0\$**). This statistic is χ^2 distributed with degrees of freedom equal to the summation of the number of estimated parameters in individual male and female models minus the number of estimated parameters in the overall model. The resulting χ^2 statistic provides the probability that the models have different parameters. Confidence levels for this can be read from Table C.3 on page 471 of the text, or using the χ^2 calculator on the course website. Briefly comment on your findings.

4. Using all data again (male and female), determine if the price variable should have separate parameters in the alternatives or if they should be the across alternatives. The test statistic is:

$$-2[LL(\beta_{same}) - LL(\beta_{dif})]$$

where $LL(\beta_{same})$ is the log-likelihood at convergence of the model estimated with the same betas for price and $LL(\beta_{dif})$ is the log-likelihood at convergence using different betas for price. This statistic is χ^2 distributed with degrees of freedom equal to the number of estimated parameters in the "different" model minus the number of estimated parameters in the "same" model.

Variables available for your specification are (in file LOGIT-A1.txt):

Variable Number	Explanation
x1	Route chosen 1 if chosen 0 if not, in rows: 1 - arterial, 2 - rural road, 3 - freeway
x2	Arterial row indicator; 1 for arterial row, 0 for others
x3	Rural row indicator; 1 for rural row, 0 for others
x4	Freeway row indicator; 1 for freeway row, 0 for others
x5	Traffic flow rate
x6	Number of traffic signals
x7	Distance in tenths of miles
x8	Seat belts: 1 - if wear, 0 - if not
x9	Number of passengers in car
x10	Driver age in years: 1 - 18 to 23, 2 - 24 to 29, 3 - 30 to 39, 4 - 40 to 49, 5 - 50 and above
x11	Gender: 1 - male, 0 - female
x12	Marital status: 1 - single, 0 - married
x13	Number of children
x14	Annual income: 1 - less than 20000, 2 - 20000 to 29999, 3 - 30000 to 39999, 4 - 40000 to 49999, 5 - more than 50000
x15	Model year of car (e.g. 86 = 1986)
x16	Origin of car: 1 - domestic, 0 - foreign
x17	Fuel efficiency in miles per gallon

```

--> read;nvar=17;nobs=453;file=D:\old_drive_d\new_laptop\CE697N-disk\LOGIT-A1...
--> create;price=(x7/10)/x17*1.05$
--> nlogit;lhs=x1;choices=arterial,rural,freeway;model:
    u(arterial)=pricea*price/
    u(rural)=rural*one+pricer*price/
    u(freeway)=freeway*one+pricef*price
    ;effects:price(arterial,rural,freeway)$

```

```

+-----+
| Discrete choice and multinomial logit models |
+-----+

```

Normal exit from iterations. Exit status=0.

```

+-----+
| Discrete choice (multinomial logit) model |
| Maximum Likelihood Estimates |
| Model estimated: Sep 26, 2013 at 09:49:18AM. |
| Dependent variable Choice |
| Weighting variable None |
| Number of observations 151 |
| Iterations completed 6 |
| Log likelihood function -98.40983 |
| Number of parameters 5 |
| Info. Criterion: AIC = 1.36967 |
| Finite Sample: AIC = 1.37241 |
| Info. Criterion: BIC = 1.46958 |
| Info. Criterion:HQIC = 1.41026 |
| R2=1-LogL/LogL* Log-L fncn R-sqrd RsqAdj |
| Constants only -124.2267 .20782 .19448 |
| Chi-squared[ 3] = 51.63367 |
| Prob [ chi squared > value ] = .00000 |
| Response data are given as ind. choice. |
| Number of obs.= 151, skipped 0 bad obs. |
+-----+

```

```

+-----+
| Notes No coefficients=> P(i,j)=1/J(i). |
| Constants only => P(i,j) uses ASCs |
| only. N(j)/N if fixed choice set. |
| N(j) = total sample frequency for j |
| N = total sample frequency. |
| These 2 models are simple MNL models. |
| R-sqrd = 1 - LogL(model)/logL(other) |
| RsqAdj=1-[nJ/(nJ-nparm)]*(1-R-sqrd) |
| nJ = sum over i, choice set sizes |
+-----+

```

Variable	Coefficient	Standard Error	b/St.Er.	P[Z >z]
PRICEA	-27.2321161	6.06608503	-4.489	.0000
RURAL	1.53848288	.96762745	1.590	.1118
PRICER	-30.7951287	5.43502342	-5.666	.0000
FREEWAY	-3.15129133	1.42010656	-2.219	.0265
PRICEF	-15.5648190	5.08195486	-3.063	.0022

```

+-----+
| Elasticity averaged over observations. |
| Attribute is PRICE in choice ARTERIAL |
| Effects on probabilities of all choices in model: |
| * = Direct Elasticity effect of the attribute. |
| Mean St.Dev |
| * Choice=ARTERIAL -5.9548 2.9905 |
| Choice=RURAL 1.4964 1.3780 |
| Choice=FREEWAY 1.4964 1.3780 |
+-----+

```

```

+-----+
Elasticity          averaged over observations.
Attribute is PRICE  in choice RURAL
Effects on probabilities of all choices in model:
* = Direct Elasticity effect of the attribute.
              Mean      St.Dev
*   Choice=ARTERIAL      4.7209   1.2947
    Choice=RURAL        -2.7120   2.7050
    Choice=FREEWAY      4.7209   1.2947
+-----+

```

```

+-----+
Elasticity          averaged over observations.
Attribute is PRICE  in choice FREEWAY
Effects on probabilities of all choices in model:
* = Direct Elasticity effect of the attribute.
              Mean      St.Dev
    Choice=ARTERIAL      .6035   1.0882
    Choice=RURAL         .6035   1.0882
*   Choice=FREEWAY     -4.6196   1.1089
+-----+

```