

Index

- Algebraic equations
 - solution by Kaczmarz method, 278
- Algebraic reconstruction techniques, 283–84
 - sequential, 289, 293
 - simultaneous, 285–92
- Algebraic techniques
 - reconstruction algorithms, 275–96
- Algorithms
 - cone beams, 104
 - filtered backprojection, 60–63, 72, 104
 - filtered backpropagation, 234–47
 - Gerchberg–Papoulis, 313–14
 - reconstruction, 49–112, 252–61, 275–96, 313–20
 - re-sorting, 92–93
 - SIRT, 295
 - see also* Reconstruction algorithms
- Aliasing
 - artifacts, 177–201
 - bibliography, 200
 - in 2-D images, 46
 - properties, 177–86
- Approximations
 - Born, 212–14, 248–53
 - comparison, 248–52
 - Rytov, 214–18, 249–53
 - to wave equation, 211–18
- ART *see* Algebraic reconstruction techniques
- Artifacts
 - aliasing, 177–201
 - beam hardening, 124
 - bibliography, 200
 - polychromaticity, 120–25
- Attenuation compensation
 - for positron tomography, 145–47
 - for single photon emission CT, 137–42
- Authors
 - affiliations, 329
 - Kak, Avinash C., 329
 - Slaney, Malcolm, 329
- Backprojection, 179
 - filtered, 60–63, 65–72, 82, 84–85, 88, 104–7
 - star-shaped pattern, 184
 - weighted, 92, 106
 - 3-D, 104–7
- Backpropagation algorithm, 242–47, 262
 - filtered, 234–47
- Bandlimited filter
 - DFT, 74
- Beam hardening, 118
 - artifacts, 120, 124
- Bibliographic notes
 - algebraic reconstruction algorithms, 292–95
 - algorithms for reconstructions with non-diffracting sources, 107–10
 - aliasing artifacts and noise in CT images, 200
 - measurement of projection data, nondiffracting case, 168–69
 - reflection tomography, 321
 - tomographic imaging with diffracting sources, 268–70
- Bones, 122
- Born approximation, 215–18, 249–53, 258
 - evaluation, 248–49
 - first, 212–14
- Breasts
 - mammograms, 159
 - sonograms, 302
- B-scan imaging, 297–303, 315
 - commercial, 302
- Cancer
 - in breast, 159–60
- Carcinoma
 - sonogram, 302
- Coincidence testing
 - circuits, 143
 - of positron emission, 143
- Collinear detectors
 - equally spaced, 86–92
- Compton effect, 114–15, 119
- Computed tomography *see* Computerized tomography
- Computerized tomography
 - applications, 132–33
 - emission, 134–47, 275
 - graduate courses, ix
 - images, 177–201
 - noise, 177–201
 - scanners, 130
 - ultrasonic, 147–58
 - x-rays, 120–24


- Cone beams
 - algorithms, 104, 108–9
 - projection, 101
 - reconstruction, 102, 108–9
- Continuous signals
 - Fourier analysis, 11
- Convolution, 8–9, 31–32, 83
 - aperiodic, 18
 - calculation, 15
 - circular, 18, 66
 - Fourier transforms, 39
- CT *see* Computerized tomography
- Data collection process, 228–34
- Data definition
 - negative time, 25–26
 - positive time, 26
- Data sequences, 26
 - padding, 23–25
 - resolution, 23
- Data truncation
 - effects, 27–28
- Delta functions, 28–30
 - see also* Dirac delta
- Detectors, 75, 101, 127, 192
 - arrays, 188
 - collinear, 86–92
 - equal spacing, 86–92
 - ray paths, 190
 - spacing, 78, 188
 - xenon gas, 128
- DFT *see* Fourier transforms—discrete
- Diffraction sources
 - filtered backpropagation algorithm, 234–47
 - interpolation, 234–47
 - tomographic imaging, 203–73
- Diffraction tomography reconstructions
 - limitations, 247–51
- Dirac delta, 5–7, 12, 30, 32, 222
 - see also* Delta functions
- Display resolution
 - in frequency domain, 22–27
- Distortions
 - aliasing, 177–201
- Dogs
 - heart, 154, 156–57
- Education
 - graduate, ix
- Emission computer tomography, 134–47
- Equiangular rays, 77–86
- Equispaced detectors
 - collinear, 86–92
 - reconstruction algorithms, 87
- Evanescence waves, 261
 - ignoring, 266
- Fan beam reconstruction
 - from limited number of views, 93–99
- Fan beams, 78, 85
 - projections, 97
 - reconstruction, 93–99
 - re-sorting, 92
 - rotation, 126
 - scanners, 188
 - tilted, 105
- Fan projections
 - reconstruction, 75–93
- FFT (Fast Fourier Transforms)
 - inverse, 42, 240
 - 1-D, 45
 - 2-D, 45–47
- FFT output
 - interpretation, 20–22
- Filters and filtering, 7
 - backprojection, 60–63, 65, 68, 72, 82, 84–85, 88, 104–7
 - backpropagation, 234–47
 - bandlimited, 74
 - ideal, 72
 - low pass, 40–41, 266
 - shift invariant, 8
 - Wiener, 306
- Finite receiver length
 - effects, 263–66
 - experiments, 266
 - reconstruction, 266
- Forward projection process
 - modeling, 286–88
- Fourier analysis
 - of function, 9–13, 33–35
- Fourier diffraction theorem, 218–34, 253–54, 259
 - short wavelength limit, 227–28
- Fourier series, 10–13
 - triangle wave, 12
- Fourier slice theorem, 228, 260, 307
- tomographic imaging, 49, 56–61
- Fourier transforms
 - diffraction, 219, 223–27
 - discrete, 10, 13–15
 - fast, 16, 18, 20–26
 - finite, 10, 16–18, 42–45
 - generalized, 13
 - inverse, 13, 17, 34–35, 42, 226
 - line integrals, 318
 - Parseval's theorem, 39, 44
 - properties, 35–41
 - seismic profiling, 233
 - 1-D, 44–45, 56
 - 2-D, 34–35, 42–45, 222, 226–27, 229, 308
- Frequency-shift method, 156–58
- Functions
 - continuous, 5–7
 - discrete, 5–7
 - Fourier representation, 9–13
 - Green's, 220–23
 - Hankel, 220

- linear operations, 7–9
- point spread, 29, 32
- 1-D, 5–7
- Gibbs phenomenon, 178
- Green's function
 - decomposition, 220–23
- Grids
 - representation, 277
 - square, 276
 - superimposition, 276
- Haunsfield, G. N., 1–2, 107
- Head phantom
 - of Shepp and Logan, 51–53, 69, 103, 198, 255, 259, 285
- Helmholtz equation, 224
- Hilbert transforms, 68
- Homogeneous wave equation, 204–8
 - acoustic pressure field, 204
 - electromagnetic field, 204
- Human body
 - x-ray propagation, 116, 195
- Hyperplanes, 279
- Ideal filter, 72
 - DFT, 74
- Image processing, 28–47
 - Fourier analysis, 33–35
 - graduate courses, ix
- Images and imaging, 276–83
 - B-scan, 297–303, 315
 - CT, 177–201
 - magnetic resonance, 158–68
 - noise, 177–201
 - radar, 298–99
 - reconstructed, 190–94, 281
 - sagittal, 137
 - SPECT, 136
- Impulse response
 - convolution, 9
 - of ideal filter, 73
 - of shift invariant filter, 8–9
- Inhomogeneous wave equation, 208–11
 - acoustics, 209
 - electromagnetic case, 208
- Interpolation
 - diffracting sources, 234–47
 - frequency domain, 236–42
- Kaczmarz method
 - for solving algebraic equations, 278
- Kak, Avinash C. (Author)
 - affiliations, 329
- Limitations
 - diffraction tomography reconstruction, 247–52
 - experimental, 261–68
 - mathematical, 247–48
- receivers, 268–70
- reflection tomography, 309–13
- Line integrals, 49–56
 - Fourier transforms, 318
- Magnetic moments, 163
- Magnetic resonance imaging, 158–68
- Mammograms
 - of female breasts, 159
- Medical industry
 - use of x-ray tomography, 132, 168
- Modeling
 - forward projection process, 286–88
- Moiré effect, 46, 178
- MRI *see* Magnetic resonance imaging
- Negative time
 - of data, 25–26
- Noise
 - in CT images, 177–201
 - in reconstructed images, 190–99
- Nondestructive testing
 - use of CT, 133
- Nondiffracting sources
 - measurement of projection data, 113–74
 - reconstruction, 49–112
- Nyquist rate, 19–20, 180
- Objects
 - blurring, 192
 - broadband illumination, 235
 - Fourier transforms, 166, 235, 239
 - illumination, 300, 304
 - projections, 50, 59, 165, 182, 239
 - reflectivity, 300
- Operators and operations
 - linear, 7–9, 30–32
 - shift invariant, 8, 30–32
- Parallel projections
 - reconstruction algorithms, 60–75
- Parseval's theorem
 - Fourier transforms, 39, 44
- Pencil beam
 - of energy, 299
- Phantoms, 122
 - reconstruction, 198, 262
 - x-rays, 127
- Photoelectric effect, 114, 119
- Photons
 - emission, 146
 - emission tomography, 135–37
 - gamma-rays, 135, 138
- Plane waves
 - propagation, 207
- Point sources, 28–30
- Polychromaticity artifacts
 - in x-ray CT, 120–25
- Polychromatic sources
 - for measuring projection data, 117–20


- Positron emission tomography, 142–45
- Positron tomography
 - attenuation compensation, 145–47
- Projection data
 - measurement, 113–74
 - sound waves, 113
 - ultrasound, 113
 - x-rays, 113
- Projections, 49–56
 - backpropagation, 245
 - cone beam, 101
 - curved lines, 95
 - diffracted, 204–11
 - fan beams, 75–93, 97, 192
 - forward, 286–88
 - of cylinders, 2
 - of ellipse, 54, 62
 - of objects, 50, 59, 165, 182, 239
 - parallel, 51, 60–75, 77, 100, 185
 - representation, 276–83
 - uniform sampling, 238
 - x-ray, 114–16
 - 3-D, 100–104, 165
- Radar
 - imaging, 298–99
- Radioactive isotopes
 - use in emission CT, 134–35
- Radon transforms, 50, 52, 93–97
- Received waves
 - sampling, 261–62
- Receivers
 - effect of finite length, 263–66
 - limited views, 268–70
- Reconstructed images
 - continuous case, 190–94
 - discrete case, 194–99
 - noise, 190–99
- Reconstruction
 - algebraic, 280, 283–92
 - algorithms, 49–112
 - bones, 122
 - circular, 287
 - cone beams, 102
 - cylinders, 256, 310
 - diffraction tomography, 247
 - dog's heart, 154, 156–57
 - errors, 177–201
 - fan beams, 93–99
 - from fan projections, 75–93
 - iterative, 284, 289–90
 - large-sized, 282
 - limitations, 261–68
 - of ellipse, 178, 181
 - of images, 83, 122, 198, 281
 - of Shepp and Logan phantom, 70
 - phantom, 198
 - plane wave reflection, 310
 - refractive index, 154
 - simultaneous, 284–92
 - tumors, 290, 294
 - with nondiffracting sources, 49–112
 - 2-D, 100
 - 3-D, 99–107
- Reconstruction algorithms, 313–20
 - algebraic, 275–96
 - cone beams, 103, 108–9
 - evaluation, 252–61
 - for equispaced detectors, 87
 - for parallel projections, 60–75
 - implementation, 288–92
- Rectangle function
 - limit, 29
 - 2-D Fourier transform, 34
- Reflection tomography, 297–322
 - experimental results, 320–21
 - limits, 309–13
 - of needles, 320
 - transducers, 307
 - vs. diffraction tomography, 307–9
 - with basic aim, 297
 - with point transmitter/receivers, 313–21
- Refractive index tomography
 - ultrasonic, 151–53
- Re-sorting
 - algorithm, 92–93
 - of fan beams, 92
- Rocket motors
 - nondestructive testing, 133–34
- Rytov approximation, 249–53, 258
 - evaluation, 249
 - first, 214–18
- Sampling
 - in real system, 186–89
 - of data, 19–20
 - of projection, 238
 - received waves, 261–62
- SART *see* Simultaneous algebraic reconstruction technique
- Scanning and scanners
 - B-scan imaging, 297–303
 - CT, 130
 - different methods, 126–32
 - fan beams, 188
 - fourth generation, 129
- Scattering
 - x-rays, 125–26
- Seismic profiling
 - experiment, 232
 - Fourier transforms, 233
- Shift invariant operations
 - linear, 30–32
- Short wavelength limit
 - of Fourier diffraction theorem, 227–28
- Signal processing
 - fundamentals, 5
 - graduate courses, ix
 - one-dimensional, 5
- Simultaneous algebraic reconstruction tech-

- nique, 285–92
 - implementation, 288
 - Simultaneous iterative reconstructive technique, 284
 - algorithm, 295
 - Single photon emission tomography, 135–37
 - attenuation compensation, 137–42
 - Sinograms, 94
 - SIRT *see* Simultaneous iterative reconstructive technique
 - Skull
 - simulated, 121
 - Slaney, Malcolm (Author)
 - affiliations, 329
 - Sonograms
 - of breast, 302
 - of carcinoma, 302
 - Sound waves
 - projection data, 113
 - SPECT images, 136
 - Synthetic aperture tomography, 230–31
-
- Tomography
 - applications, 1
 - definition, 1
 - diffraction, 203, 221, 247, 307–9
 - emission computed, 134–47, 275
 - Fourier slice theorem, 49, 56–61
 - imaging with diffracting sources, 203–73
 - positron, 145–47
 - positron emission, 142–45
 - reflection, 297–322
 - simulations, 55
 - synthetic aperture, 230–31
 - ultrasonic, 147–58, 205
 - x-ray, 1–3, 114–33
 - x-ray scanner, 1, 107
 - 3-D simulations, 102
 - see also* Computerized tomography, Reflection tomography, Single photon emission tomography, Ultrasonic computed tomography
-
- Transducers
 - plane wave, 303–7
 - pulse illumination, 312
 - reflection, 303–7
 - rotation, 316
 - ultrasonic, 149
 - Transforms *see* Fourier transforms, Hilbert transforms, Radon transforms
 - Transmitter/receivers
 - point, 313–21
 - reflection tomography, 313–21
 - Tumors
 - reconstruction, 290–94
-
- Ultrasonic beams
 - propagation, 149, 153
 - Ultrasonic computed tomography, 147–58
 - applications, 157–58
 - attenuation, 153–57
 - fundamentals, 148–51
 - refractive index, 151–53
 - Ultrasonic signals, 152–53
-
- Wave equation
 - approximations, 211–18
 - homogeneous, 204–8
 - inhomogeneous, 208–11
 - Weighting functions, 99
 - backprojection, 92
 - Windows
 - Hamming, 291, 293–94
 - smooth, 98
 - X-rays
 - CT, 120–25
 - in human body, 195
 - monochromatic, 114–16
 - parallel beams, 116
 - phantoms, 127
 - photons, 128
 - projection data, 113
 - scatter, 125–26
 - sources, 129
 - tomography, 114–33
 - tubes, 115

About the Authors



Avinash C. Kak is a professor of electrical engineering at Purdue University, where his current research includes programming paradigms for reasoning, especially in the domain of computer vision, and sensor and sensory integration for robots. He has coauthored *Digital Picture Processing* (Academic Press, 1982).



Malcolm Slaney is a member of the technical staff at Schlumberger Palo Alto Research. His current research interests are in developing software environments and hardware for high-speed signal processing. Previously, he was a Research Associate at Purdue University working on diffraction tomography. He has consulted with a number of companies on x-ray CT, ultrasound imaging, and digital real time control.