

Semantic actions for declarations and expressions

Semantic actions

- *Semantic actions* are routines called as productions (or parts of productions) are recognized
- Actions work together to build up intermediate representations
`<if-stmt> → IF <expr> #startif THEN <stmts> END #endif`
- Semantic action for `#startif` needs to pass a *semantic record* to `#endif`
- For LL parsers, semantic actions work easily, because they are predictive
- For LR parsers, do not know which production is used until reduce step; need to place semantic actions at end of production
`<if-stmt> → <begin-if> THEN <stmts> END #endif`
`<begin-if> → IF <expr> #startif`

Wednesday, February 9, 2011

Wednesday, February 9, 2011

Semantic Records

- Data structures produced by semantic actions
- Associated with both non-terminals (code structures) and terminals (tokens/symbols)
 - Do not have to exist (e.g., no action associated with “;”)
- Control statements often require multiple actions (see `<if-stmt>` example on previous slide)
- Typically: semantic records are produced by actions associated with terminals, and are passed to actions associated with non-terminals
- Standard organization: *semantic stack*

Wednesday, February 9, 2011

Example of semantic stack

- Consider following grammar:
`assign → ID := expr`
`expr → term addop term`
`term → ID | LIT`
`addop → + | -`
- And now annotated with semantic actions:
`assign → ID #process_id := expr #gen_assign`
`expr → term addop term #gen_infix`
`term → ID #process_id | LIT #process_id`
`addop → + #process_p | - #process_m`

Wednesday, February 9, 2011

Example of semantic stack

- Consider `a := b + 1;`
- Sequence of semantic actions invoked:
`process_id, process_id, process_op, process_lit, gen_infix, gen_assign`

Wednesday, February 9, 2011

How do we manipulate stack?

- *Action-controlled*: actions directly manipulate stack (call push and pop)
- *Parser-controlled*: parser automatically manipulates stack

Wednesday, February 9, 2011

LR-parser controlled

- Shift operations push semantic records onto stack (describing the token)
- Reduce operations pop semantic records associated with symbols off stack, replace with semantic record associated with production
- Action routines do not see stack. Can refer to popped off records using handles
- e.g., in yacc/bison, use \$1, \$2 etc. to refer to popped off records

Wednesday, February 9, 2011

LL-controlled

- Parse stack contains predicted productions, not matched productions
- Push empty semantic records onto stack when production is predicted
- Fill in records as symbols are matched
- When non-terminal is matched, pop off records associated with RHS, use to fill in the record associated with LHS (leave LHS record on stack)

Wednesday, February 9, 2011

Overview of declarations

- Symbol tables
- Action routines for simple declarations
- Action routines for advanced features
 - Constants
 - Enumerations
 - Arrays
 - Structs
 - Pointers

Wednesday, February 9, 2011

Symbol Tables

- Table of declarations, associated with each scope
- One entry for each variable declared
 - Store declaration *attributes* (e.g., name and type) – will discuss this in a few slides
- Table must be dynamic (why?)
- Possible implementations
 - Linear list (easy to implement, only good for small programs)
 - Binary search trees (better for large programs, but can still be slow)
 - Hash tables (best solution)
- BSTs and Hash tables can be difficult to implement, but languages like C++ and Java provide implementations for you

Wednesday, February 9, 2011

Managing symbol tables

- Maintain list of all symbol tables
- Maintain stack marking “current” symbol table
- Whenever you see a program block that allows declarations, create a new symbol table
 - Push onto stack as “current” symbol table
- When you see declaration, add to current symbol table
- When you exist a program block, pop current symbol table off stack

Wednesday, February 9, 2011

Handling declarations

- Declarations of variables, arrays, functions, etc.
 - Create entry in symbol table
 - Allocate space in *activation record*
 - Activation record stores information for a particular function call (arguments, return value, local variables, etc.)
 - Need to have space for all of this information
 - Activation record stored on program stack
 - We will discuss these in more detail when we get to functions

Wednesday, February 9, 2011

Simple declarations

- Declarations of simple types
`INT x;`
`FLOAT f;`
- Semantic action should
 - Get the type and name of identifier
 - Check to see if identifier is already in the symbol table
 - If it isn't, add it, if it is, error

Wednesday, February 9, 2011

Simple declarations (cont.)

- How do we get the type and name of an identifier?
`var_decl → var_type id;`
`var_type → INT | FLOAT`
`id → IDENTIFIER`
- Where do we put the semantic actions?

Wednesday, February 9, 2011

Simple declarations (cont.)

- How do we get the type and name of an identifier?
`var_decl → var_type id; #decl_id`
`var_type → INT #int_type | FLOAT #float_type`
`id → IDENTIFIER #id`
- Where do we put the semantic actions?
 - When we process `#int_type` and `#id`, can store the type and identifier name and pass them to `#decl_id`
- When creating activation record, allocate space based on type (why?)

Wednesday, February 9, 2011

Constants and ranges

- Constants
 - Symbol table needs a field to store constant value
 - In general, the constant value may not be known until runtime (`static final int i = 2 + j;`)
 - At compile time, we create code that allows the initialization expression to assign to the variable, then evaluate the expression at run-time
- Range types (like in Pascal)
`Type alpha = 'a' .. 'z'`
- Need an entry for the type as well as the upper and lower bounds

Wednesday, February 9, 2011

Enums

- Enumeration types: `enum days {mon, tue, wed, thu, fri, sat, sun};`
- Create an entry for the enumeration type itself, and an entry for each member of the enumeration
 - Entries are usually linked
- Processing enum declaration sets the "enum counter" to lower bound (usually 0)
- Each new member seen is assigned the next value and the counter is incremented
 - In some languages (e.g., C), enum members may be assigned particular values. Should ensure that enum value isn't reused

Wednesday, February 9, 2011

Arrays

- Fixed size (static) arrays
`int A[10];`
- Store type and length of array
- When creating activation record, allocate enough space on stack for array
- What about variable size arrays?
`int A[M][N]`
- Store information for a *dope vector*
 - Tracks dimensionality of array, size, location
 - Activation record stores dope vector
 - At runtime, allocate array at top of stack, fill in dope vector

Wednesday, February 9, 2011

Structs/classes

- Can have variables/methods declared inside, need extra symbol table
- Need to store visibility of members
- Complication: can create multiple instances of a struct or class!
- Need to store *offset* of each member in struct

Wednesday, February 9, 2011

Pointers

- Need to store type information and length of what it points to
- Needed for pointer arithmetic


```
int * a = &y;
z = *(a + 1);
```
- Need to worry about forward declarations
- The thing being pointed to may not have been declared yet

```
Class Foo;
Foo * head;
Class Foo { ... };
```

Wednesday, February 9, 2011

Abstract syntax trees

- Tree representing structure of the program
- Built by semantic actions
- Some compilers skip this
- AST nodes
- Represent program construct
- Store important information about construct



Wednesday, February 9, 2011

ASTs for References

Referencing identifiers

- Different behavior if identifier is used in a declaration vs. expression
- If used in declaration, treat as before
- If in expression, need to:
 - Check if it is symbol table
 - Create new AST node with pointer to symbol table entry
 - Note: may want to directly store type information in AST (or could look up in symbol table each time)

Wednesday, February 9, 2011

Referencing Literals

- What about if we see a literal?
primary → INTLITERAL | FLOATLITERAL
- Create AST node for literal
- Store string representation of literal
 - "155", "2.45" etc.
- At some point, this will be converted into actual representation of literal
 - For integers, may want to convert early (to do *constant folding*)
 - For floats, may want to wait (for compilation to different machines). Why?

Wednesday, February 9, 2011

More complex references

- Arrays
 - $A[i][j]$ is equivalent to
 $A + i * \text{dim}_1 + j$
 - Extract dim_1 from symbol table or dope vector
- Structs
 - $A.f$ is equivalent to
 $\&A + \text{offset}(f)$
 - Find $\text{offset}(f)$ in symbol table for declaration of record
- Strings
 - Complicated—depends on language

Wednesday, February 9, 2011

Expressions

- Three semantic actions needed
 - `eval_binary` (processes binary expressions)
 - Create AST node with two children, point to AST nodes created for left and right sides
 - `eval_unary` (processes unary expressions)
 - Create AST node with one child
 - `process_op` (determines type of operation)
 - Store operator in AST node

Wednesday, February 9, 2011


Expressions example

- $x + y + 5$

Wednesday, February 9, 2011

Expressions example



- $x + y + 5$



Wednesday, February 9, 2011

Expressions example


- $x + y + 5$



Wednesday, February 9, 2011

Expressions example


- $x + y + 5$



Wednesday, February 9, 2011

Expressions example


- $x + y + 5$



Wednesday, February 9, 2011

Expressions example

- $x + y + 5$



Wednesday, February 9, 2011

Generating three-address code

- For project, will need to generate three-address code
 - $op\ A, B, C // C = A\ op\ B$
- Can do this directly or after building AST

Wednesday, February 9, 2011

Generating code from an AST

- Do a post-order walk of AST to generate code, pass generated code up

```

data_object generate_code() {
    data_object lcode = left.generate_code();
    data_object rcode = right.generate_code();
    return generate_self(lcode, rcode);
}
  
```

- Important things to note:
 - A node generates code for its children before generating code for itself
 - Data object can contain code or other information
 - Code generation is *context free*
 - What does this mean?

Wednesday, February 9, 2011

Generating code directly

- Generating code directly using semantic routines is very similar to generating code from the AST
 - Why?
- Because post-order traversal is essentially what happens when you evaluate semantic actions as you pop them off stack
 - LL parser: evaluate left child before right child
 - LR parser: evaluate right child before left child
- AST nodes are just semantic records

Wednesday, February 9, 2011

L-values vs. R-values

- L-values: addresses which can be stored to or loaded from
- R-values: data (often loaded from addresses)
 - Expressions operate on R-values
- Assignment statements:

L-value := R-value
- Consider the statement $a := a$
 - the a on LHS refers to the memory location referred to by a and we store to that location
 - the a on RHS refers to data stored in memory location referred to by a so we will load from that location to produce the R-value

Wednesday, February 9, 2011

Temporaries

- Can be thought of as an unlimited pool of registers (with memory to be allocated at a later time)
- Need to declare them like variables
- Name should be something that cannot appear in the program (e.g., use illegal character as prefix)
- Memory must be allocated if address of temporary can be taken (e.g. `a := &b`)
- Temporaries can hold either L-values or R-values

Wednesday, February 9, 2011

Data objects

- Records various important info
- The temporary storing the result of the current expression
- Flags describing value in temporary
 - Constant, L-value, R-value
- Code for expression

Wednesday, February 9, 2011

Simple cases

- Generating code for constants/literals
 - Store constant in temporary
 - Optional: pass up flag specifying this is a constant
- Generating code for identifiers
 - Generated code depends on whether identifier is used as L-value or R-value
 - Do we load from it? Or store to it?
 - One solution (may be inefficient): store address in temporary, let next level decide what to do with it
 - Set flag specifying this is an L-value

Wednesday, February 9, 2011

Generating code for expressions

- Create a new temporary for result of expression
- Examine data-objects from subtrees
- If temporaries are L-values, load data from them into new temporaries
 - Generate code to perform operation
- If temporaries are constant, can perform operation immediately
 - No need to perform code generation!
- Store result in new temporary
 - Is this an L-value or an R-value?
- Return code for entire expression

Wednesday, February 9, 2011

Generating code for assignment

- Store value of temporary from RHS into address specified by temporary from LHS
 - Why does this work?
 - Because temporary for LHS holds an address
 - If LHS is an identifier, we just stored the address of it in temporary
 - If LHS is complex expression
 - ```
int *p = &x
```

```
*(p + 1) = 7;
```

it *still* holds an address, even though the address was computed by an expression

Wednesday, February 9, 2011